
A Secure Process for Task Solution Verification and Correction using GPT-4 and Da Vinci Embeddings

April 17th 2023
by Tom Haneuse

For @AltoresSoftware
Altores Research, in development of @BEMA_AI

Discuss this with me @0xwrkngprgrss



Security Process for Task Solution Verification and Correction

based on prior research mainly from @yoheinakajima and @SigGravitas

Abstract:

In this research paper, we propose a secure process for task solution verification and correction using GPT-4 completion, Da Vinci Embeddings, and web search. The process aims to ensure the validity of solutions derived from web search by verifying and correcting them using information from embedded documents. This approach provides a robust method to combine the power of web search with the knowledge embedded in specific documents, such as legal or financial documents, ensuring more accurate and reliable solutions.

Introduction

The rapid growth of information available on the web has led to the development of various techniques to harness this knowledge. GPT-4 and Da Vinci Embeddings are powerful tools capable of providing meaningful information from large datasets. In this paper, we propose a secure process that combines GPT-4 completion, Da Vinci Embeddings, and web search to verify and correct solutions for various tasks. This process aims to maintain the integrity of the solutions while mitigating risks associated with misinformation.

Methodology

Our process consists of the following steps:

2.1. Data Preprocessing

- Remove sensitive information from the documents.
- Tokenize the textual data.
- Normalize the textual data (e.g., lowercasing, stemming, etc.).

2.2. OpenAI Da Vinci Embedding

- Create an embedding space for the documents using Da Vinci Embeddings.
- Embed the documents into the embedding space.
- Save the embeddings.

2.3. GPT-4 Completion

- Use GPT-4 to generate an initial solution based on the given task.

2.4. Generate Questions

- Reflect on the initial solution and use GPT-4 to generate questions related to it.

2.5. Google Search

- Perform Google searches using the generated questions to retrieve relevant information.

2.6. Solution Verification and Correction

- Retrieve information from the embedded documents using the questions generated by GPT-4.
- Compare the retrieved information with the solution provided earlier.
- If the information matches, consider the solution valid.
- If the information doesn't match, rewrite the solution with the correction retrieved from the embedded document and rephrase it using GPT-4 completion.
- If no matching embedded document is found, consider the web search solution valid but issue a warning if there are risks associated with the solution.

Results

We evaluated our proposed process using a variety of tasks across different domains, such as legal, financial, and medical. The results demonstrate that the process is capable of verifying and correcting solutions effectively, ensuring the accuracy and reliability of the provided solutions.

Discussion

Our process combines the power of GPT-4 completion, Da Vinci Embeddings, and web search to provide accurate and reliable solutions. By verifying and correcting solutions using information from embedded documents, we mitigate the risk of misinformation and maintain the integrity of the solutions.

Conclusion

In conclusion, our proposed secure process for task solution verification and correction shows promising results in providing accurate and reliable solutions. By leveraging GPT-4 completion, Da Vinci Embeddings, and web search, we can harness the vast information available on the web and verify it using the knowledge embedded in specific documents. This approach has the potential to revolutionize the way we find and verify information in the age of information overload.

Coming Next:

Integrating an additional step using GPT-4 can significantly enhance the efficiency of the verification process by determining whether a verification is necessary or not. This step involves using GPT-4 to analyze the initial solution and the context of the task, assessing the reliability and relevance of the information provided by the web search. By evaluating the level of confidence in the initial solution, GPT-4 can intelligently determine if verification is required, thereby reducing the computational overhead involved in the verification process. This approach enables the system to prioritize resources and focus on cases where

verification is crucial, ultimately leading to more accurate and reliable solutions in a timely manner.